

Name.... POND 1J

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1J IN 1
 Outflow HYG file = NONE STORED - POND 1J OUT 1

Pond Node Data = POND 1J
 Pond Volume Data = POND 1J
 Pond Outlet Data = Outlet 1J

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 624.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infilt. cfs	Q Total cfs	2S/t + 0 cfs
625.90	1.52	.212	.1343	.00	1.52	103.98
626.00	1.61	.225	.1369	.00	1.61	110.63
626.10	1.70	.239	.1395	.00	1.70	117.40
626.20	1.78	.253	.1421	.00	1.78	124.30
626.30	1.85	.267	.1448	.00	1.85	131.32
626.40	1.93	.282	.1474	.00	1.93	138.46
626.50	2.00	.297	.1501	.00	2.00	145.73
626.60	2.07	.312	.1528	.00	2.07	153.13
626.70	2.14	.328	.1556	.00	2.14	160.67
626.80	2.20	.343	.1584	.00	2.20	168.33
626.90	2.27	.359	.1612	.00	2.27	176.13
627.00	2.33	.375	.1640	.00	2.33	184.06
627.10	2.39	.392	.1668	.00	2.39	192.12
627.20	2.45	.409	.1697	.00	2.45	200.33
627.30	2.50	.426	.1726	.00	2.50	208.66
627.40	2.56	.443	.1755	.00	2.56	217.15
627.50	2.61	.461	.1785	.00	2.61	225.77
627.60	2.67	.479	.1814	.00	2.67	234.53
627.70	2.72	.497	.1844	.00	2.72	243.43
627.80	2.77	.516	.1874	.00	2.77	252.48

Name.... POND 1J

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PFW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1J IN 1
 Outflow HYG file = NONE STORED - POND 1J OUT 1

Pond Node Data = POND 1J
 Pond Volume Data = POND 1J
 Pond Outlet Data = Outlet 1J

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 624.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout= .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infilt. cfs	Q Total cfs	2S/t + O cfs
627.90	2.82	.535	.1905	.00	2.82	261.68
628.00	3.08	.554	.1935	.00	3.08	271.23
628.10	3.52	.574	.1966	.00	3.52	281.11
628.20	4.06	.593	.1997	.00	4.06	291.25
628.30	4.70	.613	.2029	.00	4.70	301.63
628.40	5.42	.634	.2061	.00	5.42	312.24
628.50	6.20	.655	.2092	.00	6.20	323.08
628.60	7.05	.676	.2125	.00	7.05	334.13
628.70	7.96	.697	.2157	.00	7.96	345.41
628.80	8.93	.719	.2190	.00	8.93	356.89
628.90	9.95	.741	.2222	.00	9.95	368.58
629.00	11.01	.763	.2255	.00	11.01	380.48
629.10	12.12	.786	.2289	.00	12.12	392.59
629.20	13.28	.809	.2322	.00	13.28	404.91
629.30	14.49	.833	.2356	.00	14.49	417.43
629.40	15.73	.856	.2390	.00	15.73	430.17
629.50	17.01	.880	.2425	.00	17.01	443.10
629.60	18.34	.905	.2459	.00	18.34	456.24
629.70	19.70	.930	.2494	.00	19.70	469.59
629.80	21.09	.955	.2529	.00	21.09	483.14

Name.... POND 1J

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
Inflow HYG file = NONE STORED - POND 1J IN 1
Outflow HYG file = NONE STORED - POND 1J OUT 1

Pond Node Data = POND 1J
Pond Volume Data = POND 1J
Pond Outlet Data = Outlet 1J

No Infiltration

INITIAL CONDITIONS

Starting WS Elev = 624.00 ft
Starting Volume = .000 ac-ft
Starting Outflow = .00 cfs
Starting Infiltr. = .00 cfs
Starting Total Qout= .00 cfs
Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
629.90	22.53	.980	.2564	.00	22.53	496.91
630.00	24.00	1.006	.2600	.00	24.00	510.87

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1K IN 1
 Outflow HYG file = NONE STORED - POND 1K OUT 1

Pond Node Data = POND 1K
 Pond Volume Data = POND 1K
 Pond Outlet Data = Outlet 1K

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 706.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout= .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
706.00	.00	.000	.0350	.00	.00	.00
706.10	.00	.004	.0361	.00	.00	1.72
706.20	.00	.007	.0373	.00	.00	3.50
706.30	.00	.011	.0384	.00	.00	5.33
706.40	.00	.015	.0396	.00	.00	7.22
706.50	.00	.019	.0408	.00	.00	9.16
706.60	.00	.023	.0420	.00	.00	11.17
706.70	.02	.027	.0433	.00	.02	13.25
706.80	.07	.032	.0445	.00	.07	15.43
706.90	.14	.036	.0458	.00	.14	17.68
707.00	.20	.041	.0471	.00	.20	19.99
707.10	.24	.046	.0484	.00	.24	22.34
707.20	.28	.051	.0497	.00	.28	24.75
707.30	.31	.056	.0510	.00	.31	27.22
707.40	.33	.061	.0524	.00	.33	29.75
707.50	.36	.066	.0538	.00	.36	32.34
707.60	.38	.072	.0552	.00	.38	35.00
707.70	.41	.077	.0566	.00	.41	37.73
707.80	.43	.083	.0580	.00	.43	40.52
707.90	.45	.089	.0595	.00	.45	43.39

Type.... Pond E-V-Q Table
 Name.... POND 1K
 File.... \\s10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\s10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1K IN 1
 Outflow HYG file = NONE STORED - POND 1K OUT 1

Pond Node Data = POND 1K
 Pond Volume Data = POND 1K
 Pond Outlet Data = Outlet 1K

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 706.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout= .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
708.00	.47	.095	.0609	.00	.47	46.32
708.10	.80	.101	.0624	.00	.80	49.64
708.20	1.40	.107	.0639	.00	1.40	53.29
708.30	2.16	.114	.0654	.00	2.16	57.19
708.40	3.06	.120	.0670	.00	3.06	61.29
708.50	4.08	.127	.0685	.00	4.08	65.59
708.60	5.21	.134	.0701	.00	5.21	70.07
708.70	6.43	.141	.0717	.00	6.43	74.73
708.80	7.75	.148	.0733	.00	7.75	79.55
708.90	9.14	.156	.0749	.00	9.14	84.53
709.00	10.62	.163	.0766	.00	10.62	89.67
709.10	12.17	.171	.0782	.00	12.17	94.97
709.20	13.79	.179	.0799	.00	13.79	100.42
709.30	15.47	.187	.0816	.00	15.47	106.01
709.40	17.23	.195	.0833	.00	17.23	111.76
709.50	19.05	.204	.0851	.00	19.05	117.65
709.60	20.92	.212	.0868	.00	20.92	123.69
709.70	22.86	.221	.0886	.00	22.86	129.87
709.80	24.86	.230	.0904	.00	24.86	136.20
709.90	26.91	.239	.0922	.00	26.91	142.67

Name.... POND 1K

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
Inflow HYG file = NONE STORED - POND 1K IN 1
Outflow HYG file = NONE STORED - POND 1K OUT 1

Pond Node Data = POND 1K
Pond Volume Data = POND 1K
Pond Outlet Data = Outlet 1K

No Infiltration

INITIAL CONDITIONS

Starting WS Elev = 706.00 ft
Starting Volume = .000 ac-ft
Starting Outflow = .00 cfs
Starting Infiltr. = .00 cfs
Starting Total Qout= .00 cfs
Time Increment = .0500 hrs

Table with 7 columns: Elevation ft, Outflow cfs, Storage ac-ft, Area acres, Infiltr. cfs, Q Total cfs, 2S/t + O cfs. Row 1: 710.00, 29.01, .248, .0940, .00, 29.01, 149.27

Name.... POND 1L

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1L IN 1
 Outflow HYG file = NONE STORED - POND 1L OUT 1

Pond Node Data = POND 1L
 Pond Volume Data = POND 1L
 Pond Outlet Data = Outlet 1L

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 518.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
518.00	.00	.000	.2420	.00	.00	.00
518.10	.00	.024	.2447	.00	.00	11.78
518.20	.00	.049	.2475	.00	.00	23.69
518.30	.00	.074	.2502	.00	.00	35.73
518.40	.00	.099	.2530	.00	.00	47.92
518.50	.03	.124	.2558	.00	.03	60.26
518.60	.12	.150	.2586	.00	.12	72.79
518.70	.26	.176	.2614	.00	.26	85.52
518.80	.45	.202	.2643	.00	.45	98.43
518.90	.68	.229	.2671	.00	.68	111.52
519.00	.94	.256	.2700	.00	.94	124.78
519.10	1.22	.283	.2729	.00	1.22	138.19
519.20	1.53	.310	.2758	.00	1.53	151.79
519.30	1.82	.338	.2787	.00	1.82	165.49
519.40	2.00	.366	.2816	.00	2.00	179.23
519.50	2.17	.394	.2845	.00	2.17	193.10
519.60	2.32	.423	.2875	.00	2.32	207.09
519.70	2.47	.452	.2905	.00	2.47	221.23
519.80	2.60	.481	.2935	.00	2.60	235.49
519.90	2.73	.511	.2965	.00	2.73	249.90

Name.... POND 1L

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1L IN 1
 Outflow HYG file = NONE STORED - POND 1L OUT 1

Pond Node Data = POND 1L
 Pond Volume Data = POND 1L
 Pond Outlet Data = Outlet 1L

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 518.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
520.00	2.85	.540	.2995	.00	2.85	264.44
520.10	2.97	.571	.3025	.00	2.97	279.12
520.20	3.09	.601	.3056	.00	3.09	293.96
520.30	3.19	.632	.3086	.00	3.19	308.93
520.40	3.30	.663	.3117	.00	3.30	324.05
520.50	3.40	.694	.3148	.00	3.40	339.32
520.60	3.50	.726	.3179	.00	3.50	354.72
520.70	3.60	.758	.3211	.00	3.60	370.29
520.80	3.69	.790	.3242	.00	3.69	386.00
520.90	3.79	.822	.3274	.00	3.79	401.86
521.00	3.88	.855	.3305	.00	3.88	417.87
521.10	3.96	.889	.3337	.00	3.96	434.03
521.20	4.05	.922	.3369	.00	4.05	450.35
521.30	4.13	.956	.3401	.00	4.13	466.81
521.40	4.22	.990	.3434	.00	4.22	483.44
521.50	4.30	1.025	.3466	.00	4.30	500.22
521.60	4.38	1.059	.3499	.00	4.38	517.15
521.70	4.45	1.095	.3532	.00	4.45	534.25
521.80	4.53	1.130	.3565	.00	4.53	551.49
521.90	4.61	1.166	.3598	.00	4.61	568.91

Name.... POND 1L

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1L IN 1
 Outflow HYG file = NONE STORED - POND 1L OUT 1

Pond Node Data = POND 1L
 Pond Volume Data = POND 1L
 Pond Outlet Data = Outlet 1L

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 518.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
522.00	4.68	1.202	.3631	.00	4.68	586.47
522.10	5.07	1.239	.3664	.00	5.07	604.51
522.20	5.72	1.275	.3698	.00	5.72	622.98
522.30	6.54	1.312	.3732	.00	6.54	641.78
522.40	7.49	1.350	.3766	.00	7.49	660.88
522.50	8.57	1.388	.3800	.00	8.57	680.26
522.60	9.74	1.426	.3834	.00	9.74	699.91
522.70	11.02	1.464	.3868	.00	11.02	719.83
522.80	12.38	1.503	.3903	.00	12.38	739.99
522.90	13.83	1.543	.3937	.00	13.83	760.42
523.00	15.35	1.582	.3972	.00	15.35	781.08
523.10	16.95	1.622	.4007	.00	16.95	801.98
523.20	18.62	1.662	.4042	.00	18.62	823.14
523.30	20.36	1.703	.4077	.00	20.36	844.52
523.40	22.16	1.744	.4113	.00	22.16	866.15
523.50	24.03	1.785	.4148	.00	24.03	888.00
523.60	25.95	1.827	.4184	.00	25.95	910.09
523.70	27.94	1.869	.4220	.00	27.94	932.42
523.80	29.98	1.911	.4256	.00	29.98	954.96
523.90	32.08	1.954	.4292	.00	32.08	977.75

Type.... Pond E-V-Q Table
 Name.... POND 1L
 File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1L IN 1
 Outflow HYG file = NONE STORED - POND 1L OUT 1

Pond Node Data = POND 1L
 Pond Volume Data = POND 1L
 Pond Outlet Data = Outlet 1L

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 518.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
524.00	34.23	1.997	.4328	.00	34.23	1000.76
524.10	36.43	2.040	.4365	.00	36.43	1024.00
524.20	38.68	2.084	.4401	.00	38.68	1047.47
524.30	40.99	2.128	.4438	.00	40.99	1071.16
524.40	43.34	2.173	.4475	.00	43.34	1095.09
524.50	45.74	2.218	.4512	.00	45.74	1119.24
524.60	48.19	2.263	.4550	.00	48.19	1143.61
524.70	50.68	2.309	.4587	.00	50.68	1168.22
524.80	53.22	2.355	.4624	.00	53.22	1193.05
524.90	55.81	2.401	.4662	.00	55.81	1218.11
525.00	58.43	2.448	.4700	.00	58.43	1243.39