

Name.... POND 1M

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1M IN 1
 Outflow HYG file = NONE STORED - POND 1M OUT 1

Pond Node Data = POND 1M
 Pond Volume Data = POND 1M
 Pond Outlet Data = Outlet 1M

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
490.00	.00	.000	.1030	.00	.00	.00
490.10	.00	.010	.1053	.00	.00	5.04
490.20	.00	.021	.1076	.00	.00	10.20
490.30	.00	.032	.1100	.00	.00	15.46
490.40	.00	.043	.1124	.00	.00	20.84
490.50	.00	.054	.1148	.00	.00	26.34
490.60	.00	.066	.1173	.00	.00	31.96
490.70	.00	.078	.1197	.00	.00	37.69
490.80	.03	.090	.1222	.00	.03	43.57
490.90	.11	.102	.1247	.00	.11	49.63
491.00	.23	.115	.1273	.00	.23	55.85
491.10	.39	.128	.1298	.00	.39	62.23
491.20	.58	.141	.1324	.00	.58	68.77
491.30	.79	.154	.1351	.00	.79	75.45
491.40	1.02	.168	.1377	.00	1.02	82.28
491.50	1.15	.182	.1404	.00	1.15	89.14
491.60	1.27	.196	.1431	.00	1.27	96.12
491.70	1.37	.210	.1458	.00	1.37	103.22
491.80	1.47	.225	.1485	.00	1.47	110.44
491.90	1.57	.240	.1513	.00	1.57	117.79

Name.... POND 1M

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1M IN 1
 Outflow HYG file = NONE STORED - POND 1M OUT 1

Pond Node Data = POND 1M
 Pond Volume Data = POND 1M
 Pond Outlet Data = Outlet 1M

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
492.00	1.65	.255	.1541	.00	1.65	125.26
492.10	1.74	.271	.1569	.00	1.74	132.88
492.20	1.82	.287	.1598	.00	1.82	140.62
492.25	1.85	.295	.1612	.00	1.85	144.54
492.30	2.04	.303	.1627	.00	2.04	148.65
492.40	2.74	.319	.1656	.00	2.74	157.29
492.50	3.70	.336	.1685	.00	3.70	166.33
492.60	4.86	.353	.1714	.00	4.86	175.72
492.70	6.19	.370	.1744	.00	6.19	185.42
492.80	7.67	.388	.1774	.00	7.67	195.41
492.90	9.28	.406	.1804	.00	9.28	205.68
493.00	11.01	.424	.1835	.00	11.01	216.22
493.10	12.86	.442	.1866	.00	12.86	227.02
493.20	14.81	.461	.1897	.00	14.81	238.08
493.30	16.86	.480	.1928	.00	16.86	249.39
493.40	19.01	.500	.1960	.00	19.01	260.95
493.50	21.26	.520	.1992	.00	21.26	272.76
493.60	23.59	.540	.2024	.00	23.59	284.80
493.70	26.00	.560	.2056	.00	26.00	297.09
493.80	28.50	.581	.2089	.00	28.50	309.62

Name.... POND 1M

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1M IN 1
 Outflow HYG file = NONE STORED - POND 1M OUT 1

Pond Node Data = POND 1M
 Pond Volume Data = POND 1M
 Pond Outlet Data = Outlet 1M

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout= .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
493.90	31.08	.602	.2122	.00	31.08	322.39
494.00	33.73	.623	.2155	.00	33.73	335.39
494.10	36.46	.645	.2188	.00	36.46	348.63
494.20	39.26	.667	.2222	.00	39.26	362.10
494.30	42.14	.689	.2256	.00	42.14	375.81
494.40	45.08	.712	.2290	.00	45.08	389.75
494.50	48.09	.735	.2324	.00	48.09	403.92
494.60	51.16	.759	.2359	.00	51.16	418.33
494.70	54.30	.782	.2394	.00	54.30	432.97
494.80	57.50	.806	.2429	.00	57.50	447.84
494.90	60.77	.831	.2464	.00	60.77	462.95
495.00	64.09	.856	.2500	.00	64.09	478.29

Name.... POND 1N

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1N IN 1
 Outflow HYG file = NONE STORED - POND 1N OUT 1

Pond Node Data = POND 1N
 Pond Volume Data = POND 1N
 Pond Outlet Data = Outlet 1N

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infilt. cfs	Q Total cfs	2S/t + O cfs
490.00	.00	.000	.1910	.00	.00	.00
490.10	.00	.019	.1936	.00	.00	9.31
490.20	.00	.039	.1962	.00	.00	18.74
490.30	.00	.058	.1989	.00	.00	28.30
490.40	.00	.078	.2015	.00	.00	37.99
490.50	.00	.099	.2042	.00	.00	47.81
490.60	.03	.119	.2069	.00	.03	57.79
490.70	.11	.140	.2096	.00	.11	67.95
490.80	.23	.161	.2124	.00	.23	78.28
490.90	.39	.183	.2151	.00	.39	88.78
491.00	.58	.204	.2179	.00	.58	99.45
491.10	.79	.226	.2206	.00	.79	110.28
491.20	1.02	.248	.2235	.00	1.02	121.25
491.30	1.15	.271	.2263	.00	1.15	132.26
491.40	1.27	.294	.2291	.00	1.27	143.40
491.50	1.37	.317	.2320	.00	1.37	154.67
491.60	1.47	.340	.2348	.00	1.47	166.06
491.70	1.57	.364	.2377	.00	1.57	177.59
491.80	1.65	.388	.2406	.00	1.65	189.25
491.90	1.74	.412	.2436	.00	1.74	201.06

Name.... POND 1N

File.... \\s10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\s10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1N IN 1
 Outflow HYG file = NONE STORED - POND 1N OUT 1

Pond Node Data = POND 1N
 Pond Volume Data = POND 1N
 Pond Outlet Data = Outlet 1N

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
492.00	1.82	.436	.2465	.00	1.82	213.00
492.10	1.89	.461	.2495	.00	1.89	225.07
492.20	1.97	.486	.2524	.00	1.97	237.29
492.30	2.04	.512	.2554	.00	2.04	249.65
492.40	2.10	.537	.2584	.00	2.10	262.16
492.50	2.17	.563	.2615	.00	2.17	274.81
492.60	2.87	.590	.2645	.00	2.87	288.23
492.70	4.08	.616	.2676	.00	4.08	302.33
492.80	5.64	.643	.2707	.00	5.64	316.91
492.90	7.47	.670	.2738	.00	7.47	331.91
493.00	9.54	.698	.2769	.00	9.54	347.31
493.10	11.82	.726	.2800	.00	11.82	363.07
493.20	14.29	.754	.2832	.00	14.29	379.17
493.30	16.94	.782	.2864	.00	16.94	395.60
493.40	19.75	.811	.2896	.00	19.75	412.35
493.50	22.73	.840	.2928	.00	22.73	429.42
493.60	25.85	.870	.2960	.00	25.85	446.79
493.70	29.11	.899	.2992	.00	29.11	464.46
493.80	32.51	.930	.3025	.00	32.51	482.41
493.90	36.04	.960	.3058	.00	36.04	500.66

Name.... POND 1N

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1N IN 1
 Outflow HYG file = NONE STORED - POND 1N OUT 1

Pond Node Data = POND 1N
 Pond Volume Data = POND 1N
 Pond Outlet Data = Outlet 1N

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout= .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infilt. cfs	Q Total cfs	2S/t + O cfs
494.00	39.70	.991	.3091	.00	39.70	519.20
494.10	43.48	1.022	.3124	.00	43.48	538.02
494.20	47.37	1.053	.3157	.00	47.37	557.11
494.30	51.38	1.085	.3191	.00	51.38	576.48
494.40	55.50	1.117	.3224	.00	55.50	596.13
494.50	59.73	1.149	.3258	.00	59.73	616.05
494.60	64.07	1.182	.3292	.00	64.07	636.23
494.70	68.50	1.215	.3326	.00	68.50	656.69
494.80	73.04	1.249	.3361	.00	73.04	677.40
494.90	77.68	1.282	.3395	.00	77.68	698.39
495.00	82.41	1.317	.3430	.00	82.41	719.64

Name.... POND 10

File.... \\s10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\s10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 10 IN 1
 Outflow HYG file = NONE STORED - POND 10 OUT 1

Pond Node Data = POND 10
 Pond Volume Data = POND 10
 Pond Outlet Data = Outlet 10

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
490.00	.00	.000	.4980	.00	.00	.00
490.10	.00	.050	.5021	.00	.00	24.20
490.20	.00	.100	.5062	.00	.00	48.61
490.30	.00	.151	.5103	.00	.00	73.20
490.40	.03	.202	.5145	.00	.03	98.03
490.50	.12	.254	.5187	.00	.12	123.13
490.60	.26	.306	.5228	.00	.26	148.47
490.70	.45	.359	.5270	.00	.45	174.07
490.80	.68	.412	.5313	.00	.68	199.90
490.90	.94	.465	.5355	.00	.94	225.98
491.00	1.22	.519	.5397	.00	1.22	252.29
491.10	1.53	.573	.5440	.00	1.53	278.83
491.20	1.82	.628	.5483	.00	1.82	305.55
491.30	2.00	.683	.5526	.00	2.00	332.36
491.40	2.17	.738	.5569	.00	2.17	359.38
491.50	2.32	.794	.5612	.00	2.32	386.59
491.60	2.47	.850	.5656	.00	2.47	414.01
491.70	2.60	.907	.5699	.00	2.60	441.62
491.80	2.73	.964	.5743	.00	2.73	469.44
491.90	2.85	1.022	.5787	.00	2.85	497.47

Name.... POND 10

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PPW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 10 IN 1
 Outflow HYG file = NONE STORED - POND 10 OUT 1

Pond Node Data = POND 10
 Pond Volume Data = POND 10
 Pond Outlet Data = Outlet 10

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 490.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout= .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
492.00	2.97	1.080	.5831	.00	2.97	525.70
492.10	3.09	1.139	.5876	.00	3.09	554.15
492.20	3.19	1.198	.5920	.00	3.19	582.81
492.30	3.30	1.257	.5965	.00	3.30	611.67
492.40	3.40	1.317	.6010	.00	3.40	640.75
492.50	3.50	1.377	.6055	.00	3.50	670.05
492.60	3.60	1.438	.6100	.00	3.60	699.56
492.70	3.69	1.499	.6145	.00	3.69	729.29
492.80	3.79	1.561	.6191	.00	3.79	759.23
492.90	3.88	1.623	.6236	.00	3.88	789.39
493.00	3.96	1.686	.6282	.00	3.96	819.78
493.10	4.05	1.749	.6328	.00	4.05	850.39
493.20	4.13	1.812	.6375	.00	4.13	881.21
493.30	4.22	1.876	.6421	.00	4.22	912.25
493.40	4.30	1.941	.6467	.00	4.30	943.52
493.50	4.38	2.005	.6514	.00	4.38	975.02
493.60	4.45	2.071	.6561	.00	4.45	1006.74
493.70	4.53	2.137	.6608	.00	4.53	1038.69
493.80	4.61	2.203	.6655	.00	4.61	1070.85
493.90	4.68	2.270	.6702	.00	4.68	1103.25

Name.... POND 10

File.... \\S10svr01\M\p\0403734\STORM\BASHER_KILL_PROPOSED.PFW

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
Inflow HYG file = NONE STORED - POND 10 IN 1
Outflow HYG file = NONE STORED - POND 10 OUT 1

Pond Node Data = POND 10
Pond Volume Data = POND 10
Pond Outlet Data = Outlet 10

No Infiltration

INITIAL CONDITIONS

Starting WS Elev = 490.00 ft
Starting Volume = .000 ac-ft
Starting Outflow = .00 cfs
Starting Infiltr. = .00 cfs
Starting Total Qout = .00 cfs
Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + 0 cfs
494.00	4.75	2.337	.6750	.00	4.75	1135.88

LEVEL POOL ROUTING DATA

HYG Dir = \\S10svr01\M\p\0403734\STORM\
 Inflow HYG file = NONE STORED - POND 1P IN 1
 Outflow HYG file = NONE STORED - POND 1P OUT 1

Pond Node Data = POND 1P
 Pond Volume Data = POND 1P
 Pond Outlet Data = Outlet 1P

No Infiltration

INITIAL CONDITIONS

 Starting WS Elev = 525.00 ft
 Starting Volume = .000 ac-ft
 Starting Outflow = .00 cfs
 Starting Infiltr. = .00 cfs
 Starting Total Qout = .00 cfs
 Time Increment = .0500 hrs

Elevation ft	Outflow cfs	Storage ac-ft	Area acres	Infiltr. cfs	Q Total cfs	2S/t + O cfs
525.00	.00	.000	.2500	.00	.00	.00
525.10	.00	.025	.2500	.00	.00	12.10
525.20	.00	.050	.2500	.00	.00	24.20
525.30	.00	.075	.2500	.00	.00	36.30
525.40	.00	.100	.2500	.00	.00	48.40
525.50	.00	.125	.2500	.00	.00	60.50
525.60	.00	.150	.2500	.00	.00	72.60
525.70	.00	.175	.2500	.00	.00	84.70
525.80	.00	.200	.2500	.00	.00	96.80
525.90	.00	.225	.2500	.00	.00	108.90
526.00	.00	.250	.2500	.00	.00	121.00
526.10	.00	.275	.2500	.00	.00	133.10
526.20	.00	.300	.2500	.00	.00	145.20
526.30	.00	.325	.2500	.00	.00	157.30
526.40	.00	.350	.2500	.00	.00	169.40
526.50	.00	.375	.2500	.00	.00	181.50
526.60	.00	.400	.2500	.00	.00	193.60
526.70	.00	.425	.2500	.00	.00	205.70
526.80	.00	.450	.2500	.00	.00	217.80
526.90	.00	.475	.2500	.00	.00	229.90